Qualitätssicherung für PV-Batteriekraftwerke, gewerbliche PV-Batteriesysteme und PV-Inselnetze

Matthias Vetter, Martin Jantsch

Fraunhofer Institute for
Solar Energy Systems ISE

VDMA Thementag Solarspeicher

Kahl, 23.11.2016

Fraunhofer ISE

Agenda

- Introduction to Fraunhofer ISE battery activities
- Motivation and applications of larger PV battery systems
- Quality assurance for PV power plants with battery storage
- Quality assurance for commercial PV battery systems and PV Diesel grids
- Example of a commercial PV battery system
  - Analysis of load profile
  - Simulation based system design and cost analyses
- Perspective: Multiple use of storage
- Conclusions

Battery system technology
R&D at Fraunhofer ISE

- **Formation of battery cells:** Last production step, essential for performance and life time of lithium-ion cells
- **Cell / module / system tests and analyses:** Performance, aging, reliability, functional safety, post mortem
- **Modeling and simulation:** From detailed aging and thermal models for life time prediction to performance models for system analyses
- **Battery module and system development:** From small home storage applications to large hybrid systems
- **Battery management:** From algorithms for state estimation and operating control strategies to hardware implementation
- **Thermal management:** From passive to high efficient active methods with model predictive control for optimized operation
- **Integration in energy systems:** From interface specification and energy management systems to implementation
- **Quality assurance, safety and certification:** Accompanying of product developments and implementation projects (e.g. commercial PV battery systems) via cooperation with renowned partners

Services for stationary energy storage systems

From product development to project implementation

Strategic partnership of Fraunhofer ISE and VDE institute

PRODUCT DESIGN & PROJECT PLANING

- Analyses of load profiles
- Technical advice with focus on product design and optimization
- Simulation-based system design and component dimensioning
- Yield prediction
- Recommendations on component selection

TESTING & PROJECT DEVELOPMENT

- Economic feasibility studies using simulation-based system analyses
- Characterization of components
- Performance testing
- Lifecycle testing
- Conformity testing
- Electrical safety & EMC testing
- Benchmark tests
- Environmental simulation
- Abuse tests
- United Nations Transport Test

CERTIFICATION & IMPLEMENTATION

- Certification of whole Energy Storage Systems
- System testing
- Ongoing quality monitoring

Fraunhofer ISE

Battery laboratory

Fraunhofer ISE

Cell and system characterization

max. current	10 A	30 .. 300 A	1000 A
max. voltage	up to 18 V	5 .. 500 V	600 V
Channels	84	94	1
Cell example	2 Ah (18650)	20 Ah (pouch)	System test

Fraunhofer ISE

Test and characterization of PV home storage systems

- DC coupled systems
- AC coupled systems
- Max. power: 15 kW
- PV simulator
- Load simulator

Fraunhofer ISE

Climate chambers and Calorimeter IBC 284

300 A cycler

Fraunhofer ISE

Motivation and applications of larger PV battery systems

- Integration of battery storage in PV power plants
  - → Feeding-in of PV power according to the needs of the grid
  - → But: Battery storage increases the LCOE
- Integration of battery storage in commercial grid connected PV applications
  - → Increasing PV self consumption and reducing electricity bill
  - → But: Reasonable usage depends on specific boundary conditions and system performance
- Integration of battery storage in hybrid PV Diesel mini-grids
  - → Increasing the solar share and decreasing Diesel cost
  - → But: Economic benefits depend on project life-time and proper system design

Quality assurance for PV power plants with battery storage

From project planning to system monitoring

TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATTERY SYSTEMS

YIELD PREDICTION FOR THE OVERALL SYSTEM

SYSTEM TESTING

QUALITY MONITORING

Fraunhofer ISE

Quality assurance for PV power plants with battery storage

From project planning to system monitoring

TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATT

YIELD PREDICTION FOR TH

SYSTEM TESTING

QUALITY MONITOR





Fraunhofer ISE

Quality assurance for PV power plants with battery storage

From project planning to system monitoring



TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATTERY SYSTEMS

YIELD PREDICT

SYSTEM TE

QUALIT







Fraunhofer ISE

Quality assurance for PV power plants with battery storage

From project planning to system monitoring

TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATTERY SYSTEMS

YIELD PREDICTION FOR THE OVERALL SYSTEM

SYSTEM TESTING

QUALITY MONITORING





Fraunhofer ISE

Quality assurance for PV power plants with battery storage

From project planning to system monitoring

TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATTERY SYSTEMS

YIELD PREDICTION FOR THE OVERALL SYSTEM

SYSTEM TESTING

QUALITY MONITORING



Fraunhofer ISE

Quality assurance for PV power plants with battery storage

From project planning to system monitoring

TECHNICAL ADVICE ON STORAGE SELECTION AND DIMENSIONING

CHARACTERIZATION OF BATTERY SYSTEMS

YIELD PREDICTION FOR THE OVERALL SYSTEM

SYSTEM TESTING

QUALITY MONITORING





Fraunhofer ISE

Quality assurance for commercial PV battery systems and PV Diesel grids

From project planning to system monitoring

ANALYSES OF LOAD PROFILES

SYSTEM DIMENSIONING & COMPONENT SELECTION

CHARACTERIZATION OF SYSTEM COMPONENTS

YIELD PREDICTION FOR THE PV SUBSYSTEM

SYSTEM TESTING

QUALITY MONITORING

Fraunhofer ISE

Example: Commercial PV battery system

Analyses of load profile and PV generation profile

Load (bakery):

- Consumption: 335 MWh/a
- Max. power: 118 kW

PV example:

- Size: 150 kWp
- Production: 135 MWh



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Load (bakery):

- Consumption: 335 MWh/a
- Max. power: 118 kW

Integration of a PV system and a lithium-ion battery storage:

- Variation of PV system size
- Variation of battery storage size



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Levelized cost of energy

Main parameters:

- PV system: 840 €/kWp
- Battery system: 600 €/kWh
- Battery inverter: 215 €/kW
- Interest rate: 3 %/a



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Levelized cost of electricity storage



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Levelized cost of consumed electricity



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Self consumption as a function of usable storage capacity and PV power



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Solar share as a function of usable storage capacity and PV power



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Battery storage: Equivalent full cycles as a function of usable capacity and power



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Battery storage: Aging as a function of usable storage capacity and PV power



Fraunhofer ISE

Example: Commercial PV battery system

Simulation based system analyses and dimensioning

Battery storage: Annual average storage efficiencies



Fraunhofer ISE

Perspective for (commercial) PV battery systems

Additional business cases beyond PV self consumption

- Multiple use of storage device
  - → Additional services, e.g. grid support
  - → Additional revenues



Fraunhofer ISE

Conclusions

- Integration of battery storage in PV power plants, commercial PV systems and hybrid PV mini-grids requires several steps of quality assurance:
  - From detailed load profile analyses to application specific system dimensioning and yield prediction
  - From characterization of components in the laboratory to system testing in the field and quality monitoring of the entire power plant
- Detailed simulation based system analyses:
  - Enable an “early” identification of application specific operating conditions of a battery storage
  - Enable life time predictions and determination of levelized cost of energy storage and levelized cost of consumed energy by using aging models
  - Enable an application specific optimization of the entire system design
  - Enable an application specific optimization of the operating control strategies
- Cost analyses: Multiple use of battery systems may improve the economics

Thanks for your attention !!!



Fraunhofer Institute for Solar Energy Systems ISE

Dr. Matthias Vetter

www.ise.fraunhofer.de
matthias.vetter@ise.fraunhofer.de