Ship-lidar systems for wake measurements

Gerrit Wolken-Möhlmann, Julia Gottschall

RAVE Offshore Wind R&D Conference 2015, Bremerhaven

Content

- EERA-DTOC project and measurement campaigns
- Ship-lidar motion correction
- Wake measurements
- Ship-lidar verification
- Résumé and outlook

© Fraunhofer

EERA-DTOC: Project description

‒⟨ European Energy Research Alliance –

Design Tool for Offshore Wind Farm Cluster

‒⟨ EU funded project within Seventh Framework Program (FP7)

‒⟨ Project duration: 01/2012 – 06/2015

‒⟨ **„Use and bring together existing models from the partners"**

‒⟨ Wake and far-wake models should be compared to measurements

=> Scanning lidar measurements and **Ship-lidar measurements**

EERA-DTOC: Ship-lidar measurements

Performed measurements:

1. System test, first wake measurements   27-31 Aug 2013
2. Near and far-wake measurements   4-10 Oct 2013
3. Ship lidar and motion correction verification   10-15 Jun 2014

Fraunhofer IWES

Ship-lidar development

First **software simulations** of motion correction in 2010

Simulation of motion induced measurements…, Wolken-Möhlmann et. Al., iSARS2010

Onshore motion test in 2012

Introduction of a validated and verified floating lidar system, Gottschall, EWEA Offshore 2013

First **ship-based measurement** using a ferry in 2012

Ship based LIDAR measurements, Wolken-Möhlmann, DEWEK 2012

First **ship-based near- and far wake measurements** in 2013

First verification test and wake measurement…, Wolken-Möhlmann, EERA-Deepwind 2014

Fraunhofer

IWES

Motion correction

Fraunhofer
IWES

Motion correction



Wolken-Möhlmann et. Al.: First verification test and wake measurement results using a Ship-LIDAR System, Energy Procedia 2014

Fraunhofer IWES

Wake measurements

Different tracks
- Perpendicular to inflow direction
- Different distances to wind turbine

Wake measurements

Different inflow conditions…

Wake measurements: Results!!!

C4 Date: 05.10.2013 , time: 09:20:00 timecode:00003361

Windspeed, 1 minute mean, D= 3415.5m

Winddir, 1 minute mean

Turbulence intensity for 1 minute mean

Measurements without corrections

Measurements with corrections

Keep in mind:

1-min lidar turbulence!

Fraunhofer
IWES

Wake measurements: Results!!!

- Near-wakes can be detected by wind speed deficit and increased turbulence
- Detection of single and triple wakes
- Far wakes can be detected by turbulence intensity

Fraunhofer

IWES

Ship-lidar verification

Can we verify our method?

$\Rightarrow$ Measurement in **proximity to FINO1**

$\Rightarrow$ Using scanning **patterns similar to wake measurements** with similar ship velocities!

# Ship-lidar verification

Overview of performed tracks

Fraunhofer
IWES

Ship-lidar verification

Vessel speeds and Wind speeds

19.10.2015

Ship-lidar verification: Results

Uncorrected

Vectorial correction

LoS-correction

Ship-lidar verification: Results

⊰ Motion correction is **mandatory for ship-lidar measurements**

⊰ Vectorial correction and LoS-correction show similar results for **10-min-mean speed**

⊰ **Good correlation** to met. mast data!

Fraunhofer
IWES

Résumé and outlook

- **Ship-lidar can detects wakes and far wakes**
- **Comparison for different motion patterns show good correlation!**

Next steps:

- **Using ship-lidar as ferry box**

Fraunhofer
IWES

THANKS FOR YOUR ATTENTION

Questions?

gerrit.wolken-moehlmann@iwes.fraunhofer.de

Fraunhofer
IWES

© Fraunhofer

Acknowledgements

Fraunhofer IWES is funded by the:

Federal State of Bremen
- Senator für Umwelt, Bau, Verkehr und Europa
- Senator für Wirtschaft und Häfen
- Senatorin für Bildung und Wissenschaft
- Bremerhavener Gesellschaft für Investitions-Förderung und Stadtentwicklung GmbH

Federal State of Hessen
Federal State of Lower Saxony

Federal Republic of Germany
BMWi Federal Ministry for Economic Affairs and Energy

with support of the European Regional Development Fund (*EFRE*)